



Food Allergies

Food allergies have increased by 18 percent in recent years. Learn more about allergies to better serve the children you work with.

Definitions

Food Allergy is when the immune system mistakes a harmless food protein (the allergen) as a threat and attacks it. The immune response occurs repeatedly upon exposure to the given food.

Food Intolerance or Sensitivity is not the same as a food allergy. It does not involve the immune system or cause death. It does, however, affect the GI system and cause discomfort.

Food Aversion is when someone doesn't like a food for a certain reason.

• About 4% of adults and 5% of children have food allergies.
• The most common allergies for children are milk, eggs, and peanuts.

Common Food Allergy Symptoms

Allergic reactions to food usually occur within minutes of eating a food, but can occur hours after. Look for these symptoms:

Gastrointestinal - itchy mouth or throat, stomach pain, nausea, vomiting, diarrhea

Eyes - itchy, watering, swelling

Skin - hives, swelling, eczema

Respiratory - swelling lips and throat, wheezing, repetitive cough, runny nose

Anaphylaxis - several of the symptoms above and may include difficulty breathing, drop in blood pressure, or loss of consciousness



Reading Food Labels

Food labels are required to alert you of allergens in the food. You can find warnings on the ingredient list or a statement on the package. Examples include “contains milk” on the package or “albumin (egg)” in the ingredient list.

Food labels are not required, but often have precautionary statements if the food was processed with allergens. Look for statements such as “may contain” or “made on equipment that manufactures”.

Carefully read all labels to ensure the food is free of allergens and safe to eat.



Teach children with allergies which foods are unsafe, how to read food labels, symptoms of an allergic reaction, and what to do if they start to experience symptoms.



Anaphylaxis

Anaphylaxis is a serious, life-threatening reaction to an allergen. Strict avoidance of the allergic food reduces the risk of anaphylaxis. Usually people with food allergies are prescribed epinephrine in case of accidental ingestion of the allergen. If the children you serve are experiencing anaphylaxis or you suspect they are, immediately give epinephrine (EpiPen) and seek medical attention (9-1-1).

Recognizing an Allergic Reaction in Children

Beside seeing physical symptoms, listen to the children. They may describe a reaction in one of these ways:

- My tongue is hot and burning.
- My mouth itches.
- My mouth feels funny.
- My tongue feels like there is hair on it.
- There's something stuck in my throat.
- My tongue feels heavy.
- My lips feel tight.
- My throat feels thick.
- It feels like a bump is on the back of my tongue.

In younger children look for changes in the child's voice such as becoming squeaky, hoarse, or slurring words. Young children may put their hands in their mouths or pull on or scratch their

The severity of previous reactions cannot determine how severe the person's next food-allergic reaction will be.

For more information on food allergies, visit these websites:

www.foodallergy.org

www.aaaai.org

www.cofargroup.org

www.niaid.nih.gov/topics/foodallergy

- Most children eventually outgrow milk, egg, soy, and wheat allergies.
- Outgrowing a food allergy may not occur until the teenage years.
- Children are much less likely to outgrow a peanut and tree nut allergy.



Michigan Office

139 W Lake Lansing Rd, Suite 120 • East Lansing, MI 48823
Telephone: (800) 234-3287 • Fax: (517) 332-5543

Association for Child Development

www.acdkids.org

Jan 2014

Illinois Office

4415 W Harrison St, Suite 535 • Hillside, IL 60162
Telephone: (800) 284-5273 • Fax: (708) 236-0872

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, sex, disability, age, or reprisal or retaliation for prior civil rights activity in any program or activity conducted or funded by USDA. Persons with disabilities who require alternative means of communication for program information (e.g. Braille, large print, audiotape, American Sign Language, etc.), should contact the Agency (State or local) where they applied for benefits. Individuals who are deaf, hard of hearing or have speech disabilities may contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English. To file a program complaint of discrimination, complete the USDA Program Discrimination Complaint Form, (AD-3027) found online at: http://www.ascr.usda.gov/complaint_filing_cust.html, and at any USDA office, or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or, (3) email: program.intake@usda.gov. This institution is an equal opportunity provider. (Rev. 10/2015)